

Datasheet for #sbcw10791 DN

Recommendations:

Please read the User Manual and have a look at the FAQ at <http://www.alpeslasers.ch/?a=142>

WARNING: Operating the laser with higher current or voltage than specified in this document may cause damage and will result in loss of warranty, unless Alpes Lasers has permitted to do so!

WARNING: Beware of the polarity of the laser. This laser has to be powered with negative current on the laser contact (= bonding pad, corresponding to the label "laser" on the LLH) and the positive current on the base contact (= submount, corresponding to the label "base" on the LLH). To use with a power-supply ILX Lightwave LDX-3232 or equivalent.




Figure 1: Support mounting for #sbcw10791 DN (please note that the laser is connected to the DN pad drawn in blue)




Figure 2: laser voltage and avg power vs laser current in continuous-wave operation (front resistor current $I_F = 0A$ and back resistor current $I_B = 0A$) (the solid squares indicate the maximum singlemode emitted power)

Note: at 0C: $I_{th}=0.565A$ / $V_{th}=12.1V$ (2-wires measurements). Maximum operation current: 0.85A for all temperatures.




Figure 3: spectra at 0C in continuous-wave operation (front resistor current $I_F = 0A$ and back resistor current $I_B = 0A$) (mode jumping for $I > 0.625A$)

Vernier characterization




Figure 4: Emission frequency as a function of electrical current on the front resistor I_F or back resistor I_B . Either the back or the front resistors are heated, while no electrical current is flowing through the other resistor.




Figure 5: Optical power as a function of emission frequency.

Cluster	I_B [A]	V_B [V]	I_F [A]	V_F [V]	I_L [A]	V_L [V]	Freq [cm^{-1}]	T [C]	P_{opt} [mW]
#0-Back	0.00 - 0.71	0.2 - 2.5	0	0	0.52 - 0.65	12.4 - 13.3	2206 - 2209	0	17
#0-Front	0	0	0.00 - 0.59	0.2 - 2.0	0.52 - 0.72	12.4 - 13.3	2205 - 2209	0	15
#1-Back	0.00 - 0.32	0.3 - 1.3	0	0	0.65 - 0.78	12.9 - 13.3	2205 - 2207	0	26
#1-Front	0	0	0.00 - 0.49	0.3 - 1.8	0.65 - 0.85	12.8 - 13.7	2204 - 2207	0	31
#2-Front	0	0	0.49 - 0.86	1.6 - 2.8	0.52 - 0.65	12.5 - 13.1	2195 - 2197	0	17
#3-Front	0	0	0.69 - 0.73	2.3 - 2.5	0.62 - 0.75	12.8 - 13.3	2194 - 2196	0	21
#4-Front	0	0	0.90 - 1.09	2.9 - 3.6	0.52 - 0.55	12.5 - 12.7	2185 - 2186	0	12
#5-Front	0	0	1.20 - 1.27	3.9 - 4.3	0.52 - 0.59	12.5 - 12.8	2174 - 2175	0	15
#6-Front	0	0	1.33 - 1.37	4.6 - 4.8	0.59 - 0.69	12.6 - 12.9	2161 - 2163	0	37
#7-Back	0.97 - 1.24	3.3 - 4.0	0	0	0.52 - 0.78	12.5 - 13.7	2155 - 2159	0	51

Table 1: Overview of the clusters.

Details of cluster #0-Back

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
0.0	0.0	0.713	2.466	1.76	0.652	13.29	8.66	10.42	15	0	2205.60
0.0	0.0	0.665	2.314	1.54	0.652	13.22	8.62	10.16	17	0	2205.73
0.0	0.0	0.614	2.167	1.33	0.652	13.19	8.60	9.93	17	0	2205.84
0.0	0.0	0.713	2.429	1.73	0.619	13.16	8.15	9.88	11	0	2206.13
0.0	0.0	0.665	2.3	1.53	0.619	13.09	8.10	9.63	13	0	2206.26
0.0	0.0	0.614	2.143	1.32	0.619	13.05	8.08	9.39	14	0	2206.37
0.0	0.0	0.154	0.769	0.12	0.652	12.93	8.43	8.55	14	0	2206.39
0.0	0.0	0.0	0.271	0.00	0.652	12.86	8.39	8.39	14	0	2206.45
0.0	0.0	0.562	2.022	1.14	0.619	13.03	8.06	9.20	14	0	2206.46
0.0	0.0	0.507	1.883	0.95	0.619	12.99	8.04	9.00	14	0	2206.55
0.0	0.0	0.449	1.678	0.75	0.619	12.93	8.01	8.76	13	0	2206.64
0.0	0.0	0.713	2.404	1.71	0.586	13.04	7.64	9.35	7	0	2206.64
0.0	0.0	0.387	1.487	0.58	0.619	12.91	7.99	8.56	13	0	2206.72
0.0	0.0	0.665	2.277	1.51	0.586	12.96	7.60	9.11	9	0	2206.78
0.0	0.0	0.32	1.278	0.41	0.619	12.87	7.97	8.38	12	0	2206.79
0.0	0.0	0.244	1.045	0.25	0.619	12.83	7.94	8.20	11	0	2206.85
0.0	0.0	0.614	2.137	1.31	0.586	12.92	7.57	8.88	10	0	2206.88
0.0	0.0	0.154	0.754	0.12	0.619	12.79	7.92	8.03	11	0	2206.91
0.0	0.0	0.0	0.255	0.00	0.619	12.72	7.88	7.88	11	0	2206.96
0.0	0.0	0.562	2.004	1.13	0.586	12.89	7.56	8.68	10	0	2206.98
0.0	0.0	0.507	1.854	0.94	0.586	12.85	7.53	8.47	10	0	2207.07
0.0	0.0	0.713	2.374	1.69	0.553	12.93	7.15	8.84	3	0	2207.14
0.0	0.0	0.449	1.658	0.74	0.586	12.80	7.50	8.25	9	0	2207.15
0.0	0.0	0.387	1.477	0.57	0.586	12.78	7.49	8.06	9	0	2207.23
0.0	0.0	0.665	2.245	1.49	0.553	12.84	7.10	8.59	5	0	2207.28
0.0	0.0	0.32	1.263	0.40	0.586	12.74	7.47	7.87	8	0	2207.30
0.0	0.0	0.244	1.028	0.25	0.586	12.71	7.45	7.70	8	0	2207.36
0.0	0.0	0.614	2.105	1.29	0.553	12.79	7.08	8.37	6	0	2207.39
0.0	0.0	0.154	0.74	0.11	0.586	12.67	7.42	7.54	7	0	2207.42
0.0	0.0	0.0	0.242	0.00	0.586	12.60	7.38	7.38	7	0	2207.48
0.0	0.0	0.562	2.007	1.13	0.553	12.77	7.06	8.19	6	0	2207.49
0.0	0.0	0.507	1.84	0.93	0.553	12.73	7.04	7.97	6	0	2207.58
0.0	0.0	0.449	1.638	0.74	0.553	12.68	7.01	7.75	6	0	2207.66
0.0	0.0	0.387	1.455	0.56	0.553	12.66	7.00	7.56	5	0	2207.74
0.0	0.0	0.665	2.221	1.48	0.52	12.74	6.63	8.10	1	0	2207.77
0.0	0.0	0.32	1.245	0.40	0.553	12.62	6.98	7.38	5	0	2207.81
0.0	0.0	0.244	1.013	0.25	0.553	12.58	6.96	7.21	5	0	2207.88
0.0	0.0	0.614	2.094	1.29	0.52	12.68	6.59	7.88	2	0	2207.90
0.0	0.0	0.154	0.727	0.11	0.553	12.55	6.94	7.05	4	0	2207.94
0.0	0.0	0.562	1.985	1.12	0.52	12.65	6.58	7.69	3	0	2208.01
0.0	0.0	0.0	0.23	0.00	0.553	12.48	6.90	6.90	4	0	2208.01
0.0	0.0	0.507	1.816	0.92	0.52	12.62	6.56	7.48	3	0	2208.09
0.0	0.0	0.449	1.624	0.73	0.52	12.56	6.53	7.26	3	0	2208.20
0.0	0.0	0.387	1.442	0.56	0.52	12.54	6.52	7.08	3	0	2208.28
0.0	0.0	0.32	1.231	0.39	0.52	12.51	6.50	6.90	3	0	2208.36
0.0	0.0	0.244	0.999	0.24	0.52	12.47	6.48	6.73	3	0	2208.44

continued on next page

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
0.0	0.0	0.154	0.713	0.11	0.52	12.44	6.47	6.58	3	0	2208.51
0.0	0.0	0.0	0.217	0.00	0.52	12.36	6.43	6.43	3	0	2208.58

Table 2:

Details of cluster #0-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm^{-1}]
0.543	1.869	0.0	0.0	1.01	0.718	13.28	9.53	10.55	15	0	2205.02
0.593	1.997	0.0	0.0	1.18	0.685	13.16	9.01	10.20	9	0	2205.49
0.543	1.858	0.0	0.0	1.01	0.685	13.16	9.02	10.02	10	0	2205.56
0.49	1.725	0.0	0.0	0.85	0.685	13.16	9.02	9.86	12	0	2205.62
0.434	1.535	0.0	0.0	0.67	0.685	13.12	8.99	9.65	13	0	2205.69
0.593	1.979	0.0	0.0	1.17	0.652	13.04	8.51	9.68	8	0	2206.03
0.543	1.865	0.0	0.0	1.01	0.652	13.05	8.51	9.52	9	0	2206.08
0.49	1.701	0.0	0.0	0.83	0.652	13.03	8.50	9.33	10	0	2206.14
0.434	1.515	0.0	0.0	0.66	0.652	12.99	8.47	9.13	11	0	2206.20
0.374	1.338	0.0	0.0	0.50	0.652	12.98	8.46	8.96	12	0	2206.26
0.309	1.145	0.0	0.0	0.35	0.652	12.96	8.45	8.80	13	0	2206.31
0.235	0.929	0.0	0.0	0.22	0.652	12.94	8.43	8.65	14	0	2206.36
0.0	0.0	0.0	0.0	0.00	0.652	12.86	8.39	8.39	14	0	2206.45
0.593	1.958	0.0	0.0	1.16	0.619	12.90	7.99	9.15	6	0	2206.57
0.543	1.836	0.0	0.0	1.00	0.619	12.92	8.00	9.00	7	0	2206.61
0.49	1.683	0.0	0.0	0.82	0.619	12.90	7.99	8.81	7	0	2206.67
0.434	1.494	0.0	0.0	0.65	0.619	12.86	7.96	8.61	8	0	2206.72
0.374	1.321	0.0	0.0	0.49	0.619	12.85	7.95	8.45	9	0	2206.78
0.309	1.128	0.0	0.0	0.35	0.619	12.82	7.94	8.29	10	0	2206.83
0.235	0.913	0.0	0.0	0.21	0.619	12.80	7.93	8.14	11	0	2206.88
0.148	0.656	0.0	0.0	0.10	0.619	12.77	7.90	8.00	11	0	2206.92
0.0	0.0	0.0	0.0	0.00	0.619	12.72	7.88	7.88	11	0	2206.96
0.434	1.48	0.0	0.0	0.64	0.586	12.74	7.47	8.11	6	0	2207.25
0.374	1.303	0.0	0.0	0.49	0.586	12.72	7.46	7.94	6	0	2207.30
0.309	1.111	0.0	0.0	0.34	0.586	12.70	7.44	7.78	7	0	2207.34
0.235	0.897	0.0	0.0	0.21	0.586	12.68	7.43	7.64	7	0	2207.39
0.148	0.642	0.0	0.0	0.10	0.586	12.64	7.41	7.50	8	0	2207.43
0.0	0.0	0.0	0.0	0.00	0.586	12.60	7.38	7.38	7	0	2207.48
0.434	1.459	0.0	0.0	0.63	0.553	12.62	6.98	7.61	4	0	2207.81
0.374	1.283	0.0	0.0	0.48	0.553	12.60	6.97	7.45	4	0	2207.84
0.309	1.095	0.0	0.0	0.34	0.553	12.58	6.96	7.29	4	0	2207.88
0.235	0.882	0.0	0.0	0.21	0.553	12.56	6.94	7.15	4	0	2207.92
0.148	0.628	0.0	0.0	0.09	0.553	12.52	6.92	7.02	5	0	2207.95
0.0	0.0	0.0	0.0	0.00	0.553	12.48	6.90	6.90	4	0	2208.01
0.434	1.44	0.0	0.0	0.62	0.52	12.51	6.50	7.13	3	0	2208.44
0.374	1.266	0.0	0.0	0.47	0.52	12.49	6.49	6.97	3	0	2208.45
0.309	1.08	0.0	0.0	0.33	0.52	12.46	6.48	6.82	3	0	2208.46
0.235	0.868	0.0	0.0	0.20	0.52	12.44	6.47	6.67	3	0	2208.49
0.148	0.615	0.0	0.0	0.09	0.52	12.41	6.45	6.54	3	0	2208.51
0.0	0.0	0.0	0.0	0.00	0.52	12.36	6.43	6.43	3	0	2208.58

Table 3:

Details of cluster #1-Back

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm^{-1}]
0.0	0.0	0.0	0.322	0.00	0.784	13.26	10.39	10.39	26	0	2204.96
0.0	0.0	0.32	1.349	0.43	0.751	13.29	9.98	10.41	26	0	2205.33
0.0	0.0	0.244	1.109	0.27	0.751	13.24	9.94	10.21	25	0	2205.41
0.0	0.0	0.154	0.814	0.13	0.751	13.20	9.91	10.04	25	0	2205.47
0.0	0.0	0.0	0.309	0.00	0.751	13.13	9.86	9.86	25	0	2205.52
0.0	0.0	0.32	1.328	0.42	0.718	13.15	9.44	9.87	22	0	2205.89
0.0	0.0	0.244	1.092	0.27	0.718	13.11	9.41	9.68	21	0	2205.96
0.0	0.0	0.154	0.799	0.12	0.718	13.07	9.38	9.51	21	0	2206.02
0.0	0.0	0.0	0.298	0.00	0.718	13.00	9.33	9.33	20	0	2206.08
0.0	0.0	0.32	1.31	0.42	0.685	13.02	8.92	9.34	18	0	2206.44
0.0	0.0	0.244	1.075	0.26	0.685	12.98	8.89	9.15	18	0	2206.51
0.0	0.0	0.154	0.783	0.12	0.685	12.94	8.86	8.98	18	0	2206.58
0.0	0.0	0.0	0.285	0.00	0.685	12.87	8.82	8.82	18	0	2206.64
0.0	0.0	0.32	1.293	0.41	0.652	12.90	8.41	8.83	15	0	2207.02
0.0	0.0	0.244	1.058	0.26	0.652	12.86	8.39	8.64	16	0	2207.11

Table 4:

Details of cluster #1-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm^{-1}]
0.434	1.641	0.0	0.0	0.71	0.85	13.66	11.61	12.33	31	0	2203.58
0.49	1.769	0.0	0.0	0.87	0.817	13.53	11.05	11.92	26	0	2204.11
0.434	1.609	0.0	0.0	0.70	0.817	13.53	11.05	11.75	26	0	2204.16
0.434	1.584	0.0	0.0	0.69	0.784	13.38	10.49	11.18	24	0	2204.73
0.374	1.416	0.0	0.0	0.53	0.784	13.38	10.49	11.02	24	0	2204.78
0.309	1.215	0.0	0.0	0.38	0.784	13.36	10.47	10.85	25	0	2204.82
0.0	0.0	0.0	0.0	0.00	0.784	13.26	10.39	10.39	26	0	2204.96
0.434	1.567	0.0	0.0	0.68	0.751	13.25	9.95	10.63	24	0	2205.31
0.374	1.39	0.0	0.0	0.52	0.751	13.24	9.95	10.47	23	0	2205.34
0.309	1.197	0.0	0.0	0.37	0.751	13.23	9.93	10.30	24	0	2205.38
0.235	0.978	0.0	0.0	0.23	0.751	13.21	9.92	10.15	25	0	2205.43
0.148	0.715	0.0	0.0	0.11	0.751	13.17	9.89	10.00	26	0	2205.47
0.0	0.0	0.0	0.0	0.00	0.751	13.13	9.86	9.86	25	0	2205.52
0.374	1.376	0.0	0.0	0.51	0.718	13.12	9.42	9.94	20	0	2205.91
0.309	1.179	0.0	0.0	0.36	0.718	13.10	9.40	9.77	20	0	2205.94
0.235	0.961	0.0	0.0	0.23	0.718	13.08	9.39	9.62	21	0	2205.98
0.148	0.7	0.0	0.0	0.10	0.718	13.04	9.36	9.47	21	0	2206.02
0.0	0.0	0.0	0.0	0.00	0.718	13.00	9.33	9.33	20	0	2206.08
0.309	1.162	0.0	0.0	0.36	0.685	12.97	8.88	9.24	18	0	2206.52
0.235	0.945	0.0	0.0	0.22	0.685	12.95	8.87	9.09	18	0	2206.55
0.148	0.685	0.0	0.0	0.10	0.685	12.91	8.85	8.95	17	0	2206.58
0.0	0.0	0.0	0.0	0.00	0.685	12.87	8.82	8.82	18	0	2206.64
0.148	0.671	0.0	0.0	0.10	0.652	12.80	8.34	8.44	16	0	2207.17

Table 5:

Details of cluster #2-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
0.82	2.703	0.0	0.0	2.22	0.652	13.07	8.52	10.74	7	0	2194.99
0.82	2.681	0.0	0.0	2.20	0.619	12.92	8.00	10.20	6	0	2195.52
0.777	2.521	0.0	0.0	1.96	0.619	12.90	7.99	9.95	8	0	2195.60
0.82	2.649	0.0	0.0	2.17	0.586	12.78	7.49	9.66	5	0	2196.04
0.777	2.498	0.0	0.0	1.94	0.586	12.77	7.48	9.42	6	0	2196.12
0.734	2.384	0.0	0.0	1.75	0.586	12.78	7.49	9.24	8	0	2196.19
0.688	2.214	0.0	0.0	1.52	0.586	12.75	7.47	8.99	10	0	2196.27
0.642	2.084	0.0	0.0	1.34	0.586	12.76	7.48	8.81	12	0	2196.34
0.593	1.945	0.0	0.0	1.15	0.586	12.77	7.48	8.64	14	0	2196.42
0.543	1.831	0.0	0.0	0.99	0.586	12.82	7.51	8.51	16	0	2196.48
0.49	1.663	0.0	0.0	0.81	0.586	12.82	7.51	8.33	17	0	2196.54
0.82	2.625	0.0	0.0	2.15	0.553	12.65	6.99	9.15	3	0	2196.57
0.777	2.476	0.0	0.0	1.92	0.553	12.63	6.99	8.91	4	0	2196.63
0.734	2.369	0.0	0.0	1.74	0.553	12.66	7.00	8.74	5	0	2196.69
0.688	2.194	0.0	0.0	1.51	0.553	12.62	6.98	8.49	7	0	2196.77
0.642	2.064	0.0	0.0	1.33	0.553	12.63	6.99	8.31	9	0	2196.84
0.593	1.939	0.0	0.0	1.15	0.553	12.66	7.00	8.15	10	0	2196.91
0.543	1.81	0.0	0.0	0.98	0.553	12.70	7.02	8.00	11	0	2196.96
0.49	1.644	0.0	0.0	0.81	0.553	12.70	7.03	7.83	11	0	2197.02
0.862	2.759	0.0	0.0	2.38	0.52	12.54	6.52	8.90	3	0	2197.12
0.82	2.601	0.0	0.0	2.13	0.52	12.52	6.51	8.64	2	0	2197.12
0.777	2.457	0.0	0.0	1.91	0.52	12.51	6.50	8.41	3	0	2197.15
0.734	2.329	0.0	0.0	1.71	0.52	12.51	6.51	8.21	3	0	2197.21
0.688	2.175	0.0	0.0	1.50	0.52	12.49	6.50	7.99	4	0	2197.26
0.642	2.043	0.0	0.0	1.31	0.52	12.50	6.50	7.81	5	0	2197.32
0.593	1.918	0.0	0.0	1.14	0.52	12.54	6.52	7.66	5	0	2197.39
0.543	1.789	0.0	0.0	0.97	0.52	12.57	6.54	7.51	6	0	2197.45
0.49	1.619	0.0	0.0	0.79	0.52	12.58	6.54	7.34	6	0	2197.50

Table 6:

Details of cluster #3-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
0.734	2.473	0.0	0.0	1.82	0.751	13.29	9.98	11.79	20	0	2194.23
0.734	2.45	0.0	0.0	1.80	0.718	13.15	9.44	11.24	17	0	2194.78
0.688	2.302	0.0	0.0	1.58	0.718	13.13	9.43	11.01	21	0	2194.87
0.734	2.449	0.0	0.0	1.80	0.685	13.03	8.92	10.72	15	0	2195.31
0.688	2.277	0.0	0.0	1.57	0.685	12.99	8.90	10.47	18	0	2195.41
0.734	2.422	0.0	0.0	1.78	0.652	12.90	8.41	10.19	12	0	2195.86
0.734	2.406	0.0	0.0	1.77	0.619	12.79	7.92	9.68	10	0	2196.41

Table 7:

Details of cluster #4-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
1.056	3.445	0.0	0.0	3.64	0.553	12.68	7.01	10.65	5	0	2185.22
1.019	3.314	0.0	0.0	3.38	0.553	12.65	6.99	10.37	7	0	2185.32
1.093	3.555	0.0	0.0	3.89	0.52	12.56	6.53	10.42	4	0	2185.71
1.056	3.414	0.0	0.0	3.61	0.52	12.52	6.51	10.12	4	0	2185.73
1.019	3.283	0.0	0.0	3.35	0.52	12.49	6.50	9.84	5	0	2185.84
0.981	3.15	0.0	0.0	3.09	0.52	12.48	6.49	9.58	8	0	2185.94
0.942	3.019	0.0	0.0	2.84	0.52	12.49	6.49	9.34	10	0	2186.04
0.902	2.878	0.0	0.0	2.60	0.52	12.50	6.50	9.10	12	0	2186.14

Table 8:

Details of cluster #5-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
1.234	4.15	0.0	0.0	5.12	0.586	12.78	7.49	12.61	10	0	2173.50
1.2	4.005	0.0	0.0	4.81	0.586	12.77	7.49	12.29	15	0	2173.62
1.268	4.257	0.0	0.0	5.40	0.553	12.67	7.01	12.40	6	0	2173.91
1.234	4.12	0.0	0.0	5.08	0.553	12.64	6.99	12.07	8	0	2174.01
1.2	3.97	0.0	0.0	4.76	0.553	12.64	6.99	11.75	13	0	2174.13
1.268	4.235	0.0	0.0	5.37	0.52	12.55	6.52	11.89	5	0	2174.40
1.234	4.094	0.0	0.0	5.05	0.52	12.50	6.50	11.55	6	0	2174.52
1.2	3.935	0.0	0.0	4.72	0.52	12.51	6.51	11.23	9	0	2174.62

Table 9:

Details of cluster #6-Front

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
1.368	4.773	0.0	0.0	6.53	0.685	12.92	8.85	15.38	28	0	2161.24
1.368	4.717	0.0	0.0	6.45	0.652	12.78	8.33	14.79	26	0	2161.78
1.335	4.593	0.0	0.0	6.13	0.652	12.83	8.36	14.49	37	0	2161.90
1.368	4.687	0.0	0.0	6.41	0.619	12.67	7.85	14.26	23	0	2162.32
1.335	4.555	0.0	0.0	6.08	0.619	12.72	7.87	13.95	28	0	2162.44
1.368	4.664	0.0	0.0	6.38	0.586	12.58	7.37	13.75	16	0	2162.87

Table 10:

I_F	V_F	I_B	V_B	P_{elR}	I_L	V_L	P_L	P_{tot}	P_{opt}	T	freq
[A]	[V]	[A]	[V]	[W]	[A]	[V]	[W]	[W]	[mW]	[C]	[cm ⁻¹]
0.0	0.0	1.055	3.595	3.79	0.784	13.73	10.76	14.56	51	0	2155.35
0.0	0.0	1.016	3.492	3.55	0.784	13.70	10.74	14.29	44	0	2155.56
0.0	0.0	1.094	3.702	4.05	0.751	13.62	10.23	14.28	51	0	2155.73
0.0	0.0	0.975	3.349	3.27	0.784	13.67	10.72	13.98	36	0	2155.75
0.0	0.0	1.055	3.59	3.79	0.751	13.57	10.19	13.98	46	0	2155.95
0.0	0.0	1.132	3.89	4.40	0.718	13.51	9.70	14.10	48	0	2156.08
0.0	0.0	1.016	3.452	3.51	0.751	13.55	10.17	13.68	39	0	2156.15
0.0	0.0	1.094	3.662	4.01	0.718	13.44	9.65	13.66	47	0	2156.33
0.0	0.0	1.055	3.542	3.74	0.718	13.41	9.63	13.37	41	0	2156.54
0.0	0.0	1.132	3.858	4.37	0.685	13.33	9.13	13.50	46	0	2156.68
0.0	0.0	1.094	3.624	3.96	0.685	13.27	9.09	13.06	42	0	2156.91
0.0	0.0	1.169	3.96	4.63	0.652	13.23	8.63	13.26	39	0	2157.03
0.0	0.0	1.132	3.828	4.33	0.652	13.15	8.57	12.91	41	0	2157.27
0.0	0.0	1.094	3.593	3.93	0.652	13.10	8.54	12.47	36	0	2157.49
0.0	0.0	1.169	3.926	4.59	0.619	13.04	8.07	12.66	35	0	2157.62
0.0	0.0	1.132	3.783	4.28	0.619	12.97	8.03	12.31	33	0	2157.84
0.0	0.0	1.206	4.0	4.82	0.586	12.92	7.57	12.40	27	0	2157.96
0.0	0.0	1.169	3.897	4.56	0.586	12.85	7.53	12.09	29	0	2158.20
0.0	0.0	1.242	4.029	5.00	0.553	12.83	7.09	12.10	16	0	2158.30
0.0	0.0	1.132	3.702	4.19	0.586	12.80	7.50	11.69	26	0	2158.41
0.0	0.0	1.206	3.918	4.73	0.553	12.73	7.04	11.76	22	0	2158.54
0.0	0.0	1.169	3.861	4.51	0.553	12.68	7.01	11.52	21	0	2158.76
0.0	0.0	1.242	4.021	4.99	0.52	12.62	6.56	11.56	13	0	2158.86
0.0	0.0	1.206	3.868	4.66	0.52	12.55	6.52	11.19	15	0	2159.11

Table 11: